

```
chain nodes :
     18 19
ring nodes :
     1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 20 21 22 23 24 25 26 27
chain bonds :
     14-19 17-18
     1-2 1-6 2-3 3-4 4-5 4-7 5-6 5-9 7-8 8-9 8-10 9-13 10-11 11-12 11-14 12-13 12-17 14-15 15-16 16-17 20-21 20-25 21-22 22-23 23-24 23-26 24-25 24-28 26-27
     27-28
exact/norm bonds :
     4-7 7-8 8-9 8-10 9-13 10-11 11-12 11-14 12-13 12-17 14-15 14-19 15-16 16-17 17-18 23-26 24-28 26-27 27-28
exact bonds :
     5-9
normalized bonds :
     1-2 1-6 2-3 3-4 4-5 5-6 20-21 20-25 21-22 22-23 23-24 24-25
isolated ring systems :
     containing 1 :
Match level:
     1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:Atom 11:Atom 12:Atom 13:Atom 14:Atom 15:Atom 16:Atom 17:Atom 18:CLASS 19:CLASS 20:Atom 21:Atom 22:Atom 23:Atom 24:Atom 25:Atom 26:Atom 27:Atom 28:Atom 29:CLASS
```

 $\Rightarrow$  s 11

SAMPLE SEARCH INITIATED 15:57:43 FILE 'REGISTRY' SAMPLE SCREEN SEARCH COMPLETED - 16 TO ITERATE

100.0% PROCESSED 16 ITERATIONS

BATCH

7 ANSWERS

SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE \*\*COMPLETE\*\*

\*\*COMPLETE\*\*

PROJECTED ITERATIONS:

80 TO 560

PROJECTED ANSWERS:

7 TO

7 SEA SSS SAM L1

298

=> d 13 1-7

Page 1

2.30 2

3.00

L3 ANSWER 1 OF 7 REGISTRY COPYRIGHT 2003 ACS on STN

RN 574730-08-8 REGISTRY

CN Pyrazino[1',2':1,6]pyrido[3,4-b]indole-1,4-dione, 6-(1,3-benzodioxol-5-yl)-2,3,6,7,12,12a-hexahydro-2-[(3R)-1-(2-pyridinylmethyl)-3-pyrrolidinyl]-, (6R,12aR)- (9CI) (CA INDEX NAME)

FS STEREOSEARCH

MF C31 H29 N5 O4

SR CA

LC STN Files: CA, CAPLUS

# Absolute stereochemistry.

\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

- 1 REFERENCES IN FILE CA (1907 TO DATE)
- 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 2 OF 7 REGISTRY COPYRIGHT 2003 ACS on STN

RN 477978-88-4 REGISTRY

CN Pyrazino[1',2':1,6]pyrido[3,4-b]indole-1,4-dione, 6-(1,3-benzodioxol-5-yl)-2,3,6,7,12,12a-hexahydro-2-methyl-12-phenyl-, (6R,12R,12aR)-rel- (9CI) (CA INDEX NAME)

FS STEREOSEARCH

MF C28 H23 N3 O4

SR CA

LC STN Files: CA, CAPLUS

Relative stereochemistry.

\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

- 1 REFERENCES IN FILE CA (1907 TO DATE)
- 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 3 OF 7 REGISTRY COPYRIGHT 2003 ACS on STN

RN 395665-80-2 REGISTRY

CN Pyrazino[1',2':1,6]pyrido[3,4-b]indole-1,4-dione, 6-(1,3-benzodioxol-5-yl)-3-(3,3-dimethyl-2-oxobutyl)-2,3,6,7,12,12a-hexahydro-, (3S,6R,12aR)- (9CI) (CA INDEX NAME)

FS STEREOSEARCH

MF C27 H27 N3 O5

SR CA

LC STN Files: CA, CAPLUS, USPATFULL

### Absolute stereochemistry.

### \*\*PROPERTY DATA AVAILABLE IN THE PROP FORMAT\*\*

- 1 REFERENCES IN FILE CA (1907 TO DATE)
- 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

Burge &

L3 ANSWER 4 OF 7 REGISTRY COPYRIGHT 2003 ACS on STN

RN 395665-78-8 REGISTRY

CN Pyrazino[1',2':1,6]pyrido[3,4-b]indole-3-acetic acid, 6-(1,3-benzodioxol-5-yl)-1,2,3,4,6,7,12,12a-octahydro-1,4-dioxo-, cyclopentyl ester, (3S,6R,12aR)- (9CI) (CA INDEX NAME)

FS STEREOSEARCH

MF C28 H27 N3 O6

SR CA

LC STN Files: CA, CAPLUS, USPATFULL

Absolute stereochemistry.

\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1907 TO DATE)

1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 5 OF 7 REGISTRY COPYRIGHT 2003 ACS on STN

RN 385770-93-4 REGISTRY

CN Methanesulfonamide, N-[3-[[(6R,12aR)-6-(1,3-benzodioxol-5-y1)-3,4,6,7,12,12a-hexahydro-1,4-dioxopyrazino[1',2':1,6]pyrido[3,4-b]indol-2(1H)-yl]methyl]phenyl]-1,1,1-trifluoro-(9CI) (CA INDEX NAME)

FS STEREOSEARCH

MF C29 H23 F3 N4 O6 S

SR CA

LC STN Files: CA, CAPLUS, USPATFULL

Absolute stereochemistry.

\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1907 TO DATE)

1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 6 OF 7 REGISTRY COPYRIGHT 2003 ACS on STN

RN 385770-82-1 REGISTRY

CN Pyrazino[1',2':1,6]pyrido[3,4-b]indole-2(1H)-acetic acid, 6-(1,3-benzodioxol-5-yl)-3,4,6,7,12,12a-hexahydro-1,4-dioxo-, (6R,12aR)-(9CI) (CA INDEX NAME)

FS STEREOSEARCH

MF C23 H19 N3 O6

SR CA

LC STN Files: CA, CAPLUS, USPATFULL

Absolute stereochemistry.

\*\*PROPERTY DATA AVAILABLE IN THE "PROP" FORMAT\*\*

- 1 REFERENCES IN FILE CA (1907 TO DATE)
- 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 7 OF 7 REGISTRY COPYRIGHT 2003 ACS on STN

RN 385770-34-3 REGISTRY

CN Pyrazino[1',2':1,6]pyrido[3,4-b]indole-2(1H)-butanamide, 6-(1,3-benzodioxol-5-yl)-N-cyclohexyl-3,4,6,7,12,12a-hexahydro-1,4-dioxo-, (6R,12aR)- (9CI) (CA INDEX NAME)

FS STEREOSEARCH

MF C31 H34 N4 O5

SR CA

LC STN Files: CA, CAPLUS, USPATFULL

Absolute stereochemistry.

\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1907 TO DATE)

CONTRACT

1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

Totornational Patent Class Flowthons

Page 8

==:<u>-</u>" :n

=> s 11 sss full FULL SEARCH INITIATED 15:58:33 FILE 'REGISTRY' FULL SCREEN SEARCH COMPLETED - 379 TO ITERATE

100.0% PROCESSED 379 ITERATIONS SEARCH TIME: 00.00.01

207 ANSWERS

SEARCH IIME: 00.00.0

L4 207 SEA SSS FUL L1

=> file caplus COST IN U.S. DOLLARS

SINCE FILE TOTAL ENTRY SESSION 160.71 160.92

FULL ESTIMATED COST

FILE 'CAPLUS' ENTERED AT 15:58:43 ON 31 DEC 2003 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2003 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 31 Dec 2003 VOL 140 ISS 1 FILE LAST UPDATED: 30 Dec 2003 (20031230/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> s 14 L5 79 L4

=> d 15 1-79 bib abs hit str 'STR' IS NOT A VALID FORMAT FOR FILE 'CAPLUS'

The following are valid formats:

ABS ---- GI and AB

ALL ----- BIB, AB, IND, RE

APPS ----- AI, PRAI

BIB ----- AN, plus Bibliographic Data and PI table (default) CAN ---- List of CA abstract numbers without answer numbers

CBIB ----- AN, plus Compressed Bibliographic Data

DALL ----- ALL, delimited (end of each field identified)

 $\ensuremath{\mathsf{DMAX}}$  ----- MAX, delimited for post-processing

FAM ----- AN, PI and PRAI in table, plus Patent Family data

FBIB ----- AN, BIB, plus Patent FAM

IND ----- Indexing data

IPC ----- International Patent Classifications

MAX ----- ALL, plus Patent FAM, RE

```
PATS ----- PI, SO
SAM ----- CC, SX, TI, ST, IT
SCAN ----- CC, SX, TI, ST, IT (random display, no answer numbers;
             SCAN must be entered on the same line as the DISPLAY,
             e.g., D SCAN or DISPLAY SCAN)
STD ----- BIB, IPC, and NCL
IABS ----- ABS, indented with text labels
IALL ----- ALL, indented with text labels
IBIB ----- BIB, indented with text labels
IMAX ----- MAX, indented with text labels
ISTD ----- STD, indented with text labels
OBIB ----- AN, plus Bibliographic Data (original)
OIBIB ----- OBIB, indented with text labels
SBIB ----- BIB, no citations
SIBIB ----- IBIB, no citations
HIT ----- Fields containing hit terms
HITIND ----- IC, ICA, ICI, NCL, CC and index field (ST and IT)
             containing hit terms
HITRN ---- HIT RN and its text modification
HITSTR ----- HIT RN, its text modification, its CA index name, and
             its structure diagram
HITSEQ ----- HIT RN, its text modification, its CA index name, its
             structure diagram, plus NTE and SEQ fields
FHITSTR ---- First HIT RN, its text modification, its CA index name, and
             its structure diagram
FHITSEQ ---- First HIT RN, its text modification, its CA index name, its
             structure diagram, plus NTE and SEQ fields
KWIC ----- Hit term plus 20 words on either side
OCC ----- Number of occurrence of hit term and field in which it occurs
```

To display a particular field or fields, enter the display field codes. For a list of the display field codes, enter HELP DFIELDS at an arrow prompt (=>). Examples of formats include: TI; TI,AU; BIB,ST; TI,IND; TI,SO. You may specify the format fields in any order and the information will be displayed in the same order as the format specification.

All of the formats (except for SAM, SCAN, HIT, HITIND, HITRN, HITSTR, FHITSTR, HITSEQ, FHITSEQ, KWIC, and OCC) may be used with DISPLAY ACC to view a specified Accession Number.
ENTER DISPLAY FORMAT (BIB):end

=> d 15 1-79 bib abs hitstr